

Printing date 22.03.2024 Version number 4 (replaces version 3) Revision: 11.10.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: FloorPro Allround Deep Cleaner RM 754
- · UFI: 6H50-J0XG-V00Q-5PS5
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users.
- · Application of the substance / the mixture Floor cleaner
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Internet: www.karcher.com

Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

· Signal word Warning

(Contd. on page 2)



Printing date 22.03.2024 Version number 4 (replaces version 3) Revision: 11.10.2021

Trade name: FloorPro Allround Deep Cleaner RM 754

(Contd. of page 1)

· Hazard statements

H319 Causes serious eye irritation.

· Precautionary statements

P264 Wash hands thoroughly after handling. P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.
- · Determination of endocrine-disrupting properties Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- Description: Mixture of substances listed below with non-hazardous additions.

Dangerous components:			
CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44-xxxx	2-(2-butoxyethoxy)ethanol	◆ Eye Irrit. 2, H319	≥5-<10%
CAS: 15763-76-5 EINECS: 239-854-6 Reg.nr.: 01-2119489411-37-xxxx	sodium p-cumenesulphonate	① Eye Irrit. 2, H319	1-5%
CAS: 770-35-4 EINECS: 212-222-7 Reg.nr.: 01-2119486566-23-0000	1-Phenoxypropan-2-ol	① Eye Irrit. 2, H319	1-5%

Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionio	surfactants				<5	%
perfumes	(TERPINOLENE)				

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

(Contd. on page 3)



Printing date 22.03.2024 Version number 4 (replaces version 3) Revision: 11.10.2021

Trade name: FloorPro Allround Deep Cleaner RM 754

(Contd. of page 2)

- 4.2 Most important symptoms and effects, both acute and delayed Redness and irritation of the eyes
- 4.3 Indication of any immediate medical attention and special treatment needed.

 No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 4)



Printing date 22.03.2024 Version number 4 (replaces version 3) Revision: 11.10.2021

Trade name: FloorPro Allround Deep Cleaner RM 754

(Contd. of page 3)

- Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

		th limit values that require monitoring at the workplace:
		toxyethoxy)ethanol
IOELV S	hort-terr ong-tern	m value: 101.2 mg/m³, 15 ppm n value: 67.5 mg/m³, 10 ppm
DNELs		
15763-76	-5 sodiı	um p-cumenesulphonate
Oral	DNEL	3.8 mg/kg×d (consumer)
Dermal	DNEL	136.25 mg/kg×d (employee)
		68.1 mg/kg×d (consumer)
Inhalative	DNEL	26.9 mg/m3 (employee)
		6.6 mg/m3 (consumer)
· PNECs		

•	P	N	Ε	Cs
•	۲	N	ᆮ	

15/63-/6-5 sodium	p-cumenesulphonate
-------------------	--------------------

PNEC	0.23 mg/l (freshwater)
	0.23 mg/l (freshwater) 0.023 mg/l (marine water)
	100 mg/l (STP) 0.862 mg/kg (freshwater) 0.086 mg/kg (marine water)
PNEC sediment	0.862 mg/kg (freshwater)
	0.086 mg/kg (marine water)

PNEC soil 0.037 mg/kg (soil)

- 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

Do not inhale gases / fumes / aerosols.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material Not required.

(Contd. on page 5)



Printing date 22.03.2024 Version number 4 (replaces version 3) Revision: 11.10.2021

Not determined.

Trade name: FloorPro Allround Deep Cleaner RM 754

(Contd. of page 4)

· Eye/face protection Face protection



Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical stateColour:Odour:Colourlesscitrus-like

· Odour threshold: Not determined.

Melting point/freezing point:
 Boiling point or initial boiling point and boiling range
 4 °C
 100 °C

Flammability Not applicable.

Lower and upper explosion limit

Lower: Not determined.Upper: Not determined.

Flash point:
Not applicable
Auto-ignition temperature:
not applicable

Decomposition temperature:
pH at 20 °C
pH-value 1 %:
Not of the photon of the

· Viscosity:

Kinematic viscositydynamic at 20 °C:Not determined.3.3 mPas

Solubility

Water: Fully miscible
 Partition coefficient n-octanol/water (log value) Not determined.
 Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C:

Relative density

Vapour density

Relative gas density

Not determined.

Not determined.

Not determined.

Not determined.

Not applicable.

9.2 Other information

· Appearance:

Form: Fluid

Important information on protection of health and environment, and on safety.

environment, and on se

· Ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

(Contd. on page 6)



Printing date 22.03.2024 Version number 4 (replaces version 3) Revision: 11.10.2021

Trade name: FloorPro Allround Deep Cleaner RM 754

		(Contd. of page
· Solvent content:		
· Solids content:	11.8 %	
· Change in condition		
· Evaporation rate	Not determined.	
Information with regard to physical hazard	classes	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flammabl	e gases	
in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)



Printing date 22.03.2024 Version number 4 (replaces version 3) Revision: 11.10.2021

Trade name: FloorPro Allround Deep Cleaner RM 754

		(Contd. of page 6)
· LD/LC5	0 valu	es relevant for classification:
112-34-	5 2-(2-	butoxyethoxy)ethanol
Oral	LD50	2410 mg/kg (mouse) (OECD 401)
Dermal	LD50	2764 mg/kg (Rabbit)
15763-7	6-5 so	dium p-cumenesulphonate
Oral	LD50	>5000 mg/kg (Rat) (OECD 401)
Dermal	LD50	>2000 mg/kg (Rabbit)
01-1	- !	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- * STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity	
112-34-5 2-(2-but	oxyethoxy)ethanol
LC50/96 h	1300 mg/l (Lepomis macrochirus)
EC10/16 h	1170 mg/l (Pseudomonas putida)
EC50/24 h	2850 mg/l (Daphnia magna) (DIN 38412)
NOEC	>100 mg/l (Desmodesmus subspicatus)
15763-76-5 sodiu	m p-cumenesulphonate
LC50/96 h (static)	>100 mg/l (Oncorhynchus mykiss)
EC50/48 h (static)	>100 mg/l (Daphnia magna)
EC50/96 h (static)	>100 mg/l (Pseudokirchneriella subcapitata)
770-35-4 1-Pheno	xypropan-2-ol
LC50/96 h	280 mg/l (Pimephales promelas)
LC50/48 h	370 mg/l (Daphnia magna)
EC50/72 h	>100 mg/l (Desmodesmus subspicatus)

· 12.2 Persistence and degradability No further relevant information available.

(Contd. on page 8)



Printing date 22.03.2024 Version number 4 (replaces version 3) Revision: 11.10.2021

Trade name: FloorPro Allround Deep Cleaner RM 754

(Contd. of page 7)

Degree of elimination:

112-34-5 2-(2-butoxyethoxy)ethanol

OECD 301C | 80-90 % (28 d)

OECD 301E >70 % (28 d)

OECD 302B | 100 % (28 d)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Additional ecological information:
- · COD-value: 704.000 mg/l
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

The product does not contain organically bounded halogens (AOX-free).

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

European waste catalogue

20 01 29* detergents containing hazardous substances

- Uncleaned packaging:
- · Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

(Contd. on page 9)



Printing date 22.03.2024 Version number 4 (replaces version 3) Revision: 11.10.2021

Trade name: FloorPro Allround Deep Cleaner RM 754

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

(Contd. of page 8)

SECTION 14: Transport information		
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- \cdot Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 55
- · National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

(Contd. on page 10)



Printing date 22.03.2024 Version number 4 (replaces version 3) Revision: 11.10.2021

Trade name: FloorPro Allround Deep Cleaner RM 754

(Contd. of page 9)

· Relevant phrases

H319 Causes serious eye irritation.

· Classification according to Regulation (EC) No 1272/2008

Serious eye damage/irritation | The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Contact:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

Version number of previous version: 3

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

* Data compared to the previous version altered.

· 0·011-362·0 RM 754/7 1·776

EU