Revision: 22.11.2021



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2023

Version number 2 (replaces version 1)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: SurfacePro Surface Cleaner CA 30 C eco!perform Swan
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users.
- · Application of the substance / the mixture Surface cleaning
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Internet: www.karcher.com

Further information obtainable from:

Regulatory Affairs
Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)



Printing date 03.03.2023

Version number 2 (replaces version 1)

Trade name: SurfacePro Surface Cleaner CA 30 C eco!perform Swan

· vPvB: Not applicable.

(Contd. of page 1)

<5%

Revision: 22.11.2021

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous components:			
CAS: 67-63-0	propan-2-ol	1-5%	
EINECS: 200-661-7	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3, H336		
Index number: 603-117-00-0			
Reg.nr.: 01-2119457558-25-xxxx			
CAS: 68891-38-3	sodium lauryl ether sulfate	≥1-<2.5%	
NLP: 500-234-8	Eye Dam. 1, H318; 🗘 Skin Irrit. 2, H315; Aquatic Chronic 3,		
Reg.nr.: 01-2119488639-16	H412		
	Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 %		
	Eye Irrit. 2; H319: 5 % ≤ C < 10 %		

## · Regulation (EC) No 648/2004 on detergents / Labelling for contents

anionic surfactants

· Additional information For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)



Printing date 03.03.2023

Version number 2 (replaces version 1)

Trade name: SurfacePro Surface Cleaner CA 30 C eco!perform Swan

(Contd. of page 2)

Revision: 22.11.2021

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

#### · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

#### · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Keep away from food, beverages and feed,
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

Revision: 22.11.2021



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2023

Version number 2 (replaces version 1)

Trade name: SurfacePro Surface Cleaner CA 30 C eco!perform Swan

			(Contd. of pag
DNELs			
57-55-6 Pr	opyler	ne glycol	
Oral	DNEL	85 mg/kg*d (consumer)	
Dermal	DNEL	213 mg/kg*d (consumer)	
Inhalative	DNEL	168 mg/m3 (employee)	
		50 mg/m3 (consumer)	
67-63-0 pr	opan-2	2-ol	
Oral	DNEL	26 mg/kg*d (consumer)	
Dermal	DNEL	888 mg/kg*d (employee)	
		319 mg/kg*d (consumer)	
Inhalative	DNEL	500 mg/m3 (employee)	
		89 mg/m3 (consumer)	
PNECs			
57-55-6 Pr	opyler	ne glycol	
PNEC		26 mg/l (marine water)	
		2000 mg/l (STP)	
67-63-0 pr	opan-2	2-ol	
PNEC		140.9 mg/l (freshwater)	
		140.9 mg/l (marine water)	
		140.9 mg/l (STP)	
		2251 mg/l (STP)	
PNEC sediment		552 mg/kg (freshwater)	
		552 mg/kg (marine water)	
PNEC soil		28 mg/kg (soil)	

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material Not required.
- $\cdot \ \textbf{Eye/face protection} \ \ \text{Goggles recommended during refilling}.$

- EU



Printing date 03.03.2023 Version number 2 (replaces version 1) Revision: 22.11.2021

Trade name: SurfacePro Surface Cleaner CA 30 C eco!perform Swan

(Contd. of page 4)

## **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: Blue

· Odour: Alcohol-like · Odour threshold: Not determined.

· Melting point/freezing point: -3 °C

· Boiling point or initial boiling point and boiling

range undetermined · Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: 54 °C (Closed Cup)

Does not support burning not applicable

· Ignition temperature: · Decomposition temperature: Not determined.

· pH at 20 °C 11.3 · pH-value 1 %: 6-8

· Viscosity:

· Kinematic viscosity Not determined.

· dynamic at 20 °C: 3 mPas

· Solubility

· Water: Fully miscible · Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure: Not determined.

· Density and/or relative density

Density at 20 °C: 1 g/cm<sup>3</sup>

· Relative density Not determined. · Vapour density Not determined. · Relative gas density Not determined. · Particle characteristics Not applicable.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and environment, and on safety.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

· Solvent content:

2.0 % · Solids content:

· Change in condition

· Evaporation rate Not determined.

(Contd. on page 6)



Printing date 03.03.2023

Version number 2 (replaces version 1)

Trade name: SurfacePro Surface Cleaner CA 30 C eco!perform Swan

(Contd. of page 5)

Revision: 22.11.2021

· Information with regard to physical hazard			
classes			
· Explosives	Void		
· Flammable gases	Void		
· Aerosols	Void		
· Oxidising gases	Void		
· Gases under pressure	Void		
· Flammable liquids	Void		
· Flammable solids	Void		
· Self-reactive substances and mixtures	Void		
· Pyrophoric liquids	Void		
· Pyrophoric solids	Void		
· Self-heating substances and mixtures			
· Substances and mixtures, which emit flammable			
gases in contact with water	Void		
· Oxidising liquids	Void		
· Oxidising solids	Void		
· Organic peroxides	Void		
· Corrosive to metals	Void		
· Desensitised explosives	Void		

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

### 57-55-6 Propylene glycol

Oral LD50 22000 mg/kg (Rat)

(Contd. on page 7)

Revision: 22.11.2021



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2023

Version number 2 (replaces version 1)

Trade name: SurfacePro Surface Cleaner CA 30 C eco!perform Swan

		(Contd. of page 6)	
67-63-0	67-63-0 propan-2-ol		
Oral	LD50	5840 mg/kg (Rat) (OECD 401)	
Dermal	LD50	13900 mg/kg (Rabbit) (OECD 402)	
68891-3	68891-38-3 sodium lauryl ether sulfate		
Oral	LD50	4100 mg/kg (Rat)	
Dermal	LD50	>2000 mg/kg (Rat)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic to	· Aquatic toxicity:		
57-55-6 Pro	57-55-6 Propylene glycol		
LC50/96 h	LC50/96 h   40613 mg/l (Oncorhynchus mykiss)		
	67-63-0 propan-2-ol		
LC50/96 h	9640 mg/l (Pimephales promelas)		
EC50/48 h	13299 mg/l (Daphnia magna)		
EC50/72 h	>1000 mg/l (Desmodesmus subspicatus)		
EC10/18 h	>1000 mg/l (Pseudomonas putida) (DIN 38412)		
68891-38-3	68891-38-3 sodium lauryl ether sulfate		
LC50/96 h	7.1 mg/l (fish)		
EC50/48 h	7.2 mg/l (Daphnia magna)		
EC50/96 h	7.5 mg/l (Algae)		
NOEC	0.27 mg/l /21 d (Daphnia magna)		

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 8)



Printing date 03.03.2023

Version number 2 (replaces version 1)

Trade name: SurfacePro Surface Cleaner CA 30 C eco!perform Swan

(Contd. of page 7)

Revision: 22.11.2021

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · COD-value: 234,000 mg/l
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organic complexing agents.

The product does not contain organically bounded halogens (AOX-free).

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

- Uncleaned packaging:
- · Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

(Contd. on page 9)



Printing date 03.03.2023

Version number 2 (replaces version 1)

Trade name: SurfacePro Surface Cleaner CA 30 C eco!perform Swan

(Contd. of page 8)

Revision: 22.11.2021

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according to IMO instruments  Not applicable.		
· UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

(Contd. on page 10)



Printing date 03.03.2023

Version number 2 (replaces version 1)

Trade name: SurfacePro Surface Cleaner CA 30 C eco!perform Swan

(Contd. of page 9)

Revision: 22.11.2021

H412 Harmful to aquatic life with long lasting effects.

· Contact:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com

· Version number of previous version: 1

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

· \* Data compared to the previous version altered.

CA 30 C Swan/2 0.011-060-0