

Printing date 31.10.2025 Version number 2 (replaces version 1) Revision: 29.11.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: CarpetPro Cleaner iCapsol RM 768 OA
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users.
- · Application of the substance / the mixture Carpet shampoo
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Internet: www.karcher.com

Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

Safety data sheet available on request.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)



Printing date 31.10.2025 Version number 2 (replaces version 1) Revision: 29.11.2024

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

Determination of endocrine-disrupting properties Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- **Description:** Mixture of substances listed below with non-hazardous additions.

Dangerous components:		
CAS: 68439-57-6 EC number: 931-534-0 Reg.nr.: 01-2119513401-57-0001	Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts Eye Dam. 1, H318; Skin Irrit. 2, H315 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 % Eye Dam. 1; H318: C ≥ 38 % Eye Irrit. 2; H319: 5 % ≤ C < 38 %	_
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol	1-5%

Regulation (EC) No 648/2004 on detergents / Labelling for contents anionic surfactants, non-ionic surfactants perfumes, preservation agents (BENZISOTHIAZOLINONE, METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE) STATEMENT OF THE PROPERTY OF THE P

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

[·] Additional information For the wording of the listed hazard phrases refer to section 16.



Printing date 31.10.2025 Version number 2 (replaces version 1) Revision: 29.11.2024

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

(Contd. of page 2)

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Keep away from food, beverages and feed.
- Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)



Printing date 31.10.2025 Version number 2 (replaces version 1) Revision: 29.11.2024

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

			(Contd. of page 3,	
· DNELs				
67-63-0 pr	opan-	-ol		
Oral	DNEL	26 mg/kg×d (consumer)		
Dermal	DNEL	888 mg/kg×d (employee)		
		319 mg/kg×d (consumer)		
Inhalative	DNEL	500 mg/m3 (employee)		
		89 mg/m3 (consumer)		
·PNECs				
67-63-0 pr	opan-	-ol		
PNEC 140.9 mg/l (freshwater)				
		140.9 mg/l (marine water)		
14		140.9 mg/l (STP)		
2251		2251 mg/l (STP)		
PNEC sediment		552 mg/kg (freshwater)		
		552 mg/kg (marine water)		
PNEC soil 28 mg/kg (soil)				

- 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.
- Material of gloves Not required.
- Penetration time of glove material Not required.
- · Eye/face protection Not required.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information

Physical stateColour:Odour:KiquidWhitishfresh

· Odour threshold: Not determined.

· Melting point/freezing point: -3 °C

Boiling point or initial boiling point and boiling range
 Flammability
 undetermined
 Not applicable.

· Lower and upper explosion limit

Lower:

Not determined.

Upper:

Not determined.

Flash point:

Auto-ignition temperature:

Decomposition temperature:

Not determined.

Not determined.

(Contd. on page 5)



Version number 2 (replaces version 1) Printing date 31.10.2025 Revision: 29.11.2024

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

	(Contd. of page				
· pH at 20 °C	5.6				
· pH-value 1 %:	6-8				
· Viscosity:					
· Kinematic viscosity	Not determined.				
dynamic:	Not determined.				
Solubility					
· Water:	Fully miscible				
Partition coefficient n-octanol/water (log value)	Not determined.				
· Vapour pressure:	Not determined.				
Density and/or relative density					
Density at 20 °C:	1.037 g/cm³				
Relative density	Not determined.				
· Vapour density	Not determined.				
Relative gas density	Not determined.				
· Particle characteristics	Not applicable.				
9.2 Other information					
Appearance:					
· Form:	Fluid				
 Important information on protection of health an 	ı d				
environment, and on safety.					
Ignition temperature:	Product is not selfigniting.				
Explosive properties:	Product does not present an explosion hazard.				
Change in condition	•				
Evaporation rate	Not determined.				
Information with regard to physical hazard class					
Explosives	Void				
· Flammable gases	Void				
· Aerosols	Void				
Oxidising gases	Void				
	Void				
· Gases under pressure · Flammable liquids	Void				
Flammable inquids Flammable solids	Void				
· Flammable solids · Self-reactive substances and mixtures	Void				
	Void				
· Pyrophoric liquids · Pyrophoric solids	Void				
Self-heating substances and mixtures	Void				
 Substances and mixtures, which emit flammable gase in contact with water 					
	Void				
Oxidising liquids	Void				
Oxidising solids	Void				
Organic peroxides	Void				
Corrosive to metals	Void				
Desensitised explosives	Void				



Printing date 31.10.2025 Version number 2 (replaces version 1) Revision: 29.11.2024

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

(Contd. of page 5)

SECTION 10: Stability and reactivity

- 10.1 Reactivity corresponds to 10.3
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	· LD/LC50 values relevant for classification:			
68439-5	68439-57-6 Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts			
Oral	LD50	LD50 2079 mg/kg (Rat) (OECD 401)		
Dermal	LD50	>6300 mg/kg (Rabbit) (OECD 402)		
67-63-0	67-63-0 propan-2-ol			
Oral	LD50	5840 mg/kg (Rat) (OECD 401)		
Dermal	LD50	13900 mg/kg (Rabbit) (OECD 402)		

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

— EU



Printing date 31.10.2025 Version number 2 (replaces version 1) Revision: 29.11.2024

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

(Contd. of page 6)

SECTION 12: Ecological information

· 12.1 Toxicity

	_				-	-		
•	$\Delta \iota$	พม	2ti		tΛ	VI	cit	₩.
	\neg	uu	αы	•	LU	^1	CIL	v .

68439-57-6 Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

LC50/96 h | 4.2 mg/l (Danio rerio) (OECD 203)

EC50/48 h | 4.53 mg/l (Daphnia sp.) (OECD 202)

EC50/72 h 5.2 mg/l (Algae) (OECD 201)

EC50 230 mg/l (bacteria) (OECD 209)

67-63-0 propan-2-ol

LC50/96 h 9640 mg/l (Pimephales promelas)

EC50/48 h | 13299 mg/l (Daphnia magna)

EC50/72 h >1000 mg/l (Desmodesmus subspicatus)

EC10/18 h >1000 mg/l (Pseudomonas putida) (DIN 38412)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organic complexing agents.

The product does not contain organically bounded halogens (AOX-free).

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)



Printing date 31.10.2025 Version number 2 (replaces version 1) Revision: 29.11.2024

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

Must be specially treated adhering to official regulations.

(Contd. of page 7)

European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

- Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Void

Directive 2012/18/EU

· UN "Model Regulation":

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

– EU



Printing date 31.10.2025 Version number 2 (replaces version 1) Revision: 29.11.2024

Trade name: CarpetPro Cleaner iCapsol RM 768 OA

(Contd. of page 8)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Contact:

Regulatory Affairs

Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

Version number of previous version: 1

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (RÈACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.

· 0.011-078.0 RM 768 OA/6 2.789

EU